

Fund af desphenyl-chloridazon i Slagelse Kommune i mikrogram/l ($\mu\text{g/l}$)

Boring/rentvand	1. analyse	2. analyse	3.
NORDRE			
215.477	0.063	0.071	
215.919	0.42	0.57	
215.792	0.11	0.15	
215.898	0.025-0.05	0.013	
215.765	0.068	0.067	
215.1032	< 0.01		
215.1036	< 0.015	< 0.01	
Rentvand Nordre	0.11	0.07	0.084
Vestre			
Rentvand Vestre	< 0.01		
ERDRUP			
215.1163	< 0.01		
Rentvand Erdrup	< 0.01		
Valbygårdsværket			
210.438	0.022		
210.665	< 0.01		
210.779	< 0.01		
210.792	< 0.01		
210.841	< 0.01		
210.843	< 0.01		
210.848	0.026		
210.912	< 0.01		
210.913	0.015		
210.974	< 0.01		
210.991	< 0.01		
210.1033	0.014		
210.1287	< 0.01		
Rentvand Valbygård	0.032	0.01	0.033
Rentvand Arla(SK)	0.024		
Gl. Brorup			
210.499	< 0.01		
210.530	0.021		
210.975	< 0.01		
210.1034	< 0.01		
210.1046	< 0.01		
Jernbjerg			
210.18H	0.029		
210.632	0.24		
Hovedværket			

210.118	< 0.01		
210.368	< 0.01		
Rentvand Hovedværket	< 0.01		
OMØ			
219.24	0.5	0.49	
219.25	< 0.01		
219.170	< 0.01		
Rentvand Omø	0.15	0.079 (0.021 methyl)	
AGERSØ			
219.27	< 0.01		
219.31	< 0.01		
219.166	0.32	0.38	
Rentvand Agersø	0.17		
Stillinge Strand			
209.115	0.067		
209.147	0.027		
209.187	0.015		
Rentvand Stillinge Strand	0.02		
Kirke Stillinge			
210.511	0.01		
209.175	0.31 (0.05 methyl-)		
Rentvand Kirke Stillinge	0.1 (0.02 methyl-)		
Ørslev			
Rentvand Ørslev	< 0.01		
Nordrup Vester			
210.541	< 0.01		
Rentvand Nordrup Vester	< 0.01		
Ll. Ebberup-Næsbykov			
Mangler			
EGGESLEVMAGLE			
215.416	0.029		
215.627	0.059		
Rentvand Eggeslevmagle	0.049		
Bjergbymark			
Mangler			
Hashøj Vest			
Mangler			
Rosted og omegn			
Mangler			
Boeslunde			
Mangler			
Vemmelev-Forlev			
Mangler			
Sørby			
Rentvand Sørby	< 0.01		
Kirkerup			
Rentvand Kirkerup	< 0.01		

Gimlinge			
Rentvand Gimlinge	< 0.01		
Flakkebjerg			
Rentvand Flakkebjerg	< 0.01		
Dalmose			
Rentvand Dalmose	< 0.01		
Rude			
220.387	< 0.01		
Rentvand Rude	< 0.01		
Bisserup			
Rentvand Bisserup	< 0.01		
SVIS			
219.48	< 0.01		
220.347	< 0.01		
220.348	<0.01		
220.367	<0.01		
220.682	<0.01		
220.419	< 0.01		
220.420	< 0.01		
220.685	< 0.01		
220.687	< 0.01		
Rentvand Klarskovgård	< 0.01		
Rentvand Stubagerhus	< 0.01		